

HL-2250DN

TN2210/ TN2220/ DR2200



High Speed Network Ready Mono Laser Printer with Automatic Double-sided Printing



In a small office or workgroup, it's important everyone has access to fast, high quality printing; which is just what you'll get with the HL-2250DN with up to 26 pages per minute print speed. Being network-ready makes it easy to share. And with double-sided printing as standard, separate drum and toner (so you only replace whichever's run out) and optional high-yield toners, it's easy to save money too.

- Compact footprint makes this ideal for a small office where space is at a premium
- Save time with fast 26ppm print speed
- Save paper with double-sided printing as standard
- Extra flexibility with network connectivity making sharing easy
- Separate drum and toner to help keep costs down only replace the one that's run out
- Reduce cost with longer lasting high yield toners
- Less refilling with a 250 sheet paper capacity
- Added peace of mind with free 12-month warranty and lifetime technical support
- Green and clean technology that meets Energy Star and Blue Angel environmental standards



Detailed Spec

General

Technology Electrophotographic monochrome laser printer

Processor 200MHz (ARM9)
Print speed (simplex) 26 pages per minute
Print speed (duplex) 5 sheets per minute

Resolution HQ1200 (2,400 x 600dpi), 600dpi, 300dpi

Local Interface Hi-Speed USB 2.0 Wired Network Interface (10/100 Base-TX)

Memory 32MB

First print out time Less than 8.5 seconds (from ready mode)
Warm up time Less than 7 seconds (from sleep mode)

Print language PCL6

Residential Fonts 66 scalable fonts, 12 bitmap fonts, 13 bar codes

Control Panel

LED's Toner LED (yellow), drum LED (yellow), error LED (orange) & ready LED (green)

Button Go button

Printer Driver

Windows 7° (32 & 64 bit editions), Windows Vista° (32 & 64 bit editions), Windows XP Home

Edition, Windows XP Professional (32 & 64 bit editions), Windows *2000 Professional, Windows Server *2003 (Network only / 32 bit & 64 bit editions), Windows Server *2008 (Network only / 32 bit & 64 editions), Windows Server *2008 R2 (Network only), Windows *2008 R

Terminal Services 2003 & 2008, Citrix Presentation Server, Citrix XenApp

Apple Macintosh Mac OS X 10.4.11 or greater

Linux*** CUPS printing system(x86, x64 environment), Linux printer driver for LPD/LPRng printing

system(x86, x64 environment)

Printer Driver Features

N-up printing^{††} Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page

Poster printing† Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact

Header & footer print† Print the time & date &/or the user ID on the documents

Watermark printing† Add predefined text or user-defined messages to your documents as a watermark

Automatic duplex print Automatically print to both sides of the paper

Automatic booklet printing Print easy-to-read, professional documents in A5 booklet format using automatic duplex

Secure print^{††} Protect your print jobs with a PIN number

† Windows only

++ Windows & Apple Macintosh only

Network Management Utilities

Web based management
BRAdmin Light
Web browser print server management
For setup & small LAN management

BRAdmin Professional 3*** For LAN / WAN management using a Windows PC

Web BRAdmin*** Server based management utility for your printer fleet / Windows^{*} IIS (4.0/

5.0/5.1/6.0/7.0/7.5) modes only

E-mail reports Reports containing basic usage data sent to a nominated e-mail address on a cyclical basis
E-mail notifications Alerts sent to a nominated e-mail address when anything which can disrupt printing activity

occurs

Driver Deployment Wizard A quick & easy way to customise then deploy the HL-2250DN printer driver on a networked

Windows PC

*** Downloaded free of charge from Brother's Solutions Centre http://solutions.brother.com

Network Protocols

IPv6 (off by default)

Network protocols TCP/IP (IPv4 & IPv6)

IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS / NetBIOS name resolution, DNS Resolver,

mDNS, LLMNR responder, LPR / LPD, Custom Raw Port / Port 9100, IPP, FTP Server, SNMPv1 / v2c, HTTP Server, TFTP Client and Server, SMTP, ICMP, Web Services (Print), LLTD responder NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR / LPD, Custom Raw Port / Port 9100,

IPP, FTP server, SNMPv1 / v2c, HTTP Server, TFTP Client and Server, SMTP Client, ICMPv6,

LLTD responder, Web Services (Print)



Paper Handling

Paper Input**

Standard tray 250 sheets Manual paper feed slot 1 sheet

Paper Output**

Standard paper output 100 sheets (face down)
Rear exit straight paper path 1 sheet (face up)

** Calculated with 80g/m² paper

Media Specifications

Media types

Standard tray Plain paper, thin paper, recycled paper

Manual paper feed slot Plain paper, thin paper, thick paper, recycled paper, bond paper, labels and envelopes

Media Weights

Standard tray 60 to 105g/m2 (16 to 28lb)
Manual paper feed slot 60 to 163g/m2 (16 to 43lb)

Media Sizes

Standard tray A4, Letter, B5(ISO/JIS), A5, A5(long edge), B6(ISO), A6, Executive

Manual paper feed slot Width: 76.2 to 216mm, length: 116 to 406.4mm (width: 3.0" to 8.5", Length: 4.6" to 16")

Supplies

Toner (TN-2210) 1,200 pages* Toner (TN-2220) 2,600 pages*

Drum (DR-2200) 12,000 A4 pages (one page per job)

The frequency of replacement of consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, & the type of media.

Dimensions & Weights (with consumables)

With Carton

Dimensions 475mm x 454mm x 331mm (18.7" x 17.9" x 13.0")

Weight 8.3kg / 18.3lb

Without Carton

Dimensions 368mm x 360mm x 183mm (14.5" x 14.2" x 7.2")

Weight 7.0kg / 15.4lb

Power Consumption

Printing Average 495W at 25c
Ready Average 65W at 25c
Deep sleep Average 0.9w at 25c
TEC value 1.305 kWh / Week

Sound Pressure Level

Printing Less than 53 dB Ready Less than 31 dB

Sound Power Level

Printing Less than 6.81B Ready Less than 4.6B

Ecology

Power Saving This enables the printer to consume less energy when not in use.

Toner Saving This reduces the toner usage & helps to reduce the total cost of printer ownership.

Environmental

Environmental Accreditations Energy Star & Blue Angel

Duty Cycles

Recommended 250 – 2,000 pages monthly print volume Maximum 10,000 pages monthly print volume



Contents

Toner cartridge: up to 700 pages* Drum unit: up to 12,000 pages Power supply cord Driver software for Windows & Apple Macintosh User Guide (CD-ROM) Quick Set-up Guide PC interface cable **NOT** included

- Cartridge yield is declared in accordance with ISO/IEC19752.
- **
- Calculated with 80g/m² paper
 Downloaded free of charge from Brother's Solutions Centre http://solutions.brother.com
- Windows only Windows & Apple Macintosh only ++